

SAFETY & STORAGE CABINETS

for Flammables



Using multiple cabinets helps you organize and segregate dangerous liquids.

Sure-Grip® EX Safety Cabinets for Flammables

Safety cabinets offer safe, dependable flammable liquid storage and protection

Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA 30 standards, Sure-Grip® EX cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2-in (38-mm) of insulating air space for fire resistance. High-performance, self-latching doors close easily and securely for maximum protection under fire conditions. Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time.

For added security, U-Loc™ handle comes with a cylinder lock and key set or accepts an optional padlock.

Haz-Alert™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight.

Patented SpillSlope® galvanized steel shelves direct spills to back and bottom of a leakproof sump. They adjust on 3-in (76-mm) centers for versatile storage. Cabinets also feature a leakproof 2-in (51-mm) bottom sump, dual vents with flame arresters, four adjustable self-leveling feet, grounding connector and trilingual warning label. Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance.

All cabinets are FM-approved and come with a ten-year warranty.

Self-closing models also meet NFPA 1 and the International Fire Code. They shut and latch automatically when a fusible link melts at 165°F (74°C) under fire conditions. Unique, concealed self-closing mechanism offers obstruction-free access to contents.



8945001



8945201



8930001



8960001



Capacity Gallons/Liters	Number of Doors and Style	Dimensions H x W x D		Adj Shelves	Sump Capacity Gallons/Liters	Approv/Lstg Regulation	Sure-Grip® Model No	Ship Wt lb/kg	Extra Shelf Model No
		Exterior	Interior						
30/114	2 door, manual	44 x 43 x 18 in	39.625 x 39.5 x 14.562 in	1	5.2/19.7	FM,N,O,A	8930001	231/105	29937
	2 door, self-close	1118 x 1092 x 457 mm	1006 x 1003 x 370 mm			FM,N,O,A,I	8930201	238/108	
45/170	2 door, manual	65 x 43 x 18 in	60.5 x 39.5 x 14.562 in	2	8.3/31.5	FM,N,O,A	8945001	311/141	
	2 door, self-close	1651 x 1092 x 457 mm	1537 x 1003 x 370 mm			FM,N,O,A,I	8945201	313/142	
60/227	2 door, manual	65 x 34 x 34 in	60.5 x 30.75 x 30.34 in	2	10.7/40.6	FM,N,O,A	8960001	388/176	29944
	2 door, self-close	1651 x 864 x 864 mm	1537 x 781 x 771 mm			FM,N,O,A,I	8960201	392/178	
90/341*	2 door, manual	65 x 43 x 34 in	60.5 x 39.5 x 30.34 in	2	10.7/40.6	FM,N,O,A	8990001	481/218	29945
	2 door, self-close	1651 x 1092 x 864 mm	1537 x 1003 x 771 mm			FM,N,O,A,I	8990201		

*OSHA 29CFR 1910.106(d)(3) states that not more than 60 gallons (227L) of Category 1, 2, or 3 flammable liquids, nor more than 120 gallons (454L) of Category 4 flammable liquids may be stored in a safety cabinet.

for Flammables

Sure-Grip® EX Countertop and Compac Safety Cabinets

Store flammables safely even when available space is at a minimum

These cabinets are ideal when storing lesser quantities of flammable liquids at a workstation or adding to existing storage capacities.

Mini Cabinet offers the smallest footprint for easy mobility on service vehicles, carts and maintenance trikes. Includes 3 bungee cords to keep contents in place during movement.

Countertop Safety Cabinets allow increased access to frequently used liquids, without compromising safety. Portable size keeps work areas flexible. Use optional wall hanger assembly for wall mounting.

Compac Safety Cabinets fit almost anywhere and provide protection even where space is at a premium. Only 23-1/4-in (591-mm) wide, they hold a full 12- or 15-gallons (45- or 57-L) of flammables.



Place cabinets near points-of-use to save time by not going to a far away central storage area.



10 Year
Limited Warranty

Capacity Gallons/Liters	Number of Doors and Style	Dimensions H x W x D		Adj Shelves	Approv/Lstg Regulation	Sure-Grip® Model No	Ship Wt lb/kg	Extra Shelf Model No
		Exterior	Interior					
Aerosols	mini; 1 door, manual	22 x 17 x 8 in 559 x 432 x 203 mm	12.25 x 13.75 x 4.75 in 309 x 350 x 121 mm	1	N,O,A	8902001	43/19	—
4/15	countertop; 1 door, manual	22 x 17 x 17 in 559 x 432 x 432 mm	18.5 x 13.75 x 13.75 in 470 x 349 x 349 mm			8904001	62/28	29935
	countertop; 1 door self-close				N,O,A,I	8904201		
12/45	compac; 1 door manual	35 x 23.25 x 18 in 889 x 591 x 457 mm	30.5 x 20 x 14.56 in 775 x 508 x 370 mm		FM,N,O,A	130/59	29936	
	compac; 1 door self-close				FM,N,O,A,I			8912201
15/57	compac; 1 door manual	44 x 23.25 x 18 in 1118 x 591 x 457 mm	39.625 x 20 x 14.56 in 1006 x 508 x 370 mm		FM,N,O,A	8915001	154/70	
	compac; 1 door self-close				FM,N,O,A,I	8915201	156/70	

Sure-Grip® EX Piggyback Safety Cabinets

Expand storage and safely segregate liquids

Create a safe storage for flammables without taking up valuable floor space. Designed to mount on top of 30- and 45-gallon (114- and 170-L), manual or self-closing Sure-Grip® EX cabinets on page 45. They can also be used independently as a benchtop cabinet or stacked to provide additional storage. Turn it into a wall-mount cabinet with by ordering a wall hanger assembly 25950.



8917001



10 Year
Limited Warranty

Capacity Gallons/Liters	Number of Doors and Style	Dimensions H x W x D		Adj Shelves	Approv/Lstg Regulation	Sure-Grip® Model No	Ship Wt lb/kg	Extra Shelf Model No
		Exterior	Interior					
12/45	2 door, manual	18 x 43 x 18 in 457 x 1092 x 457 mm	13 x 39.5 x 14.56 in 330 x 1003 x 370 mm	0	FM,N,O,A	8913001	128/58	—
	2 door, self-close				FM,N,O,A,I	8913201		
17/64	2 door, manual	24 x 43 x 18 in 610 x 1092 x 457 mm	19.5 x 39.5 x 14.56 in 495 x 1003 x 370 mm	1	FM,N,O,A	8917001	157/71	29937
	2 door, self-close				FM,N,O,A,I	8917201		

Optional Wall Hanger Assembly

Description	Model No	Ship Wt lb/kg
Wall hanger assembly	25950	7/3.0



Reduce harmful vapors in cabinets . . .

Protect employees from inhalation exposure to VOCs—see page 51 for the VaporTrap™ Cabinet Filter.

SAFETY & STORAGE CABINETS

for Flammables



Place Slimline cabinet where floor space is limited.

Sure-Grip® EX Slimline Safety Cabinets

Gain valuable storage space even when space is tight

Use alone or alongside larger cabinets for expanded storage when floor space is limited. The standard slimline cabinet is 18-in (457-mm) deep and fits flush alongside a 45-gallon (170-L) cabinet. The deep slimline cabinet is 34-in (864-mm) deep and fits alongside a 60- or 90-gallon (227- or 341-L) cabinet. Both cabinets measure only 23-1/4-in (591-mm) wide.

Slimline safety cabinets have all the same features as the larger safety cabinets such as a three-point, self-latching door with self-latching handle, a 2-in (51-mm) leakproof sump, dual vents, a grounding wire connector and large trilingual warning label identifying contents. Cabinets include three SpillSlope® galvanized steel shelves that direct spills to back and bottom into a leakproof sump.



8922001

8954001



10 Year
Limited Warranty

Capacity Gallons/Liters	Number of Doors and Style	Dimensions H x W x D		Adj Shelves	Approv/Lstg Regulation	Sure-Grip® Model No	Ship Wt lb/kg	Extra Shelf Model No
		Exterior	Interior					
22/83 (standard)	1 door, manual	65 x 23.25 x 18 in 1651 x 591 x 457 mm	60.5 x 20 x 14.56 in 1537 x 508 x 370 mm	3	FM,N,O,A	8922001	198/90	29936
	1 door, self-close				FM,N,O,A,I	8922201		
54/204 (deep)	1 door, manual	65 x 23.25 x 34 in 1651 x 591 x 864 mm	60.5 x 20 x 30.31 in 1537 x 508 x 771 mm		FM,N,O,A	8954001	300/136	29941
	1 door, self-close				FM,N,O,A,I	8954201		

Sure-Grip® EX Wall-Mount Safety Cabinets

Make the most of usable storage space

—hang cabinet above workbench for easy access

Gain storage space near work areas without taking up extra floor space. Eye-level positioning allows for easy access to solvents. Model 8934001 features five adjustable shelves to accommodate multiple containers. Both sizes come complete with mounting hardware.



10 Year
Limited Warranty



Capacity Gallons/Liters	Number of Doors and Style	Dimensions H x W x D		Adj Shelves	Approv/Lstg Regulation	Sure-Grip® Model No	Ship Wt lb/kg	Extra Shelf Model No
		Exterior	Interior					
17/64	2 door, manual	24 x 43 x 18 in 610 x 1092 x 457 mm	19.5 x 39.5 x 14.56 in 495 x 1003 x 370 mm	1	N,O,A	8917008	153/69	—
20/76		44 x 43 x 12 in 1118 x 1092 x 305 mm	39.56 x 39.5 x 8.75 in 1006 x 1003 x 222 mm	5	FM,N,O,A	8934001	205/93	29938

Sure-Grip® EX Undercounter Safety Cabinets

Conveniently locate liquids near work areas



10 Year
Limited Warranty

Take advantage of undercounter space to safely store flammable liquids. Each cabinet is sized and fitted with a 3-1/2-in H x 2-1/2-in D (89-mm x 64-mm) toe kick to mount flush with other cabinets. Dual vents with flash arresters on the back wall provide for an easy connection if ventilation is needed. Self-leveling feet adjust to 1-1/8-in (29-mm) for alignment on uneven floors.



Capacity Gallons/Liters	Number of Doors and Style	Dimensions H x W x D		Adj Shelves	Approv/Lstg Regulation	Sure-Grip® Model No	Ship Wt lb/kg	Extra Shelf Model No
		Exterior	Interior					
22/83	2 door, manual	35 x 35 x 22 in 889 x 889 x 559 mm	27.31 x 31.75 x 18.75 in 695 x 806 x 476 mm	1	FM,N,O,A	8923001	190/86	29939
	2 door, self-close				FM,N,O,A,I	8923201	205/93	

for Flammables

Sure-Grip® EX Corner Safety Cabinet **NEW**

Maximize corner space while retaining full storage capacity

Designed especially for environments where space is at a minimum, this cabinet fits nicely into an empty corner to maximize the amount of space available for storage. Improve efficiency by locating materials near point-of-use and get the most out of limited floor space. Available in 30- (114-L) and 45-gallon (170-L) capacities, with both manual and self-closing door styles, Sure-Grip® EX corner safety cabinets help to increase maximum allowable quantities of flammable and combustible liquids in control areas.

Designed to meet OSHA, NFPA 30, and NFPA 1 standards, corner safety cabinets have all of the same features as the classic line of flammable safety cabinets including a fail-safe, three-point self latching door, double-walled construction with 1-1/2-in (38-mm) air space, dual vents, a grounding connector and a large trilingual warning label identifying contents. Patented Spillslope® galvanized steel shelves direct spills to the back and bottom of a leakproof 2-in (51-mm) sump.



Safely store nine 5-gal (19-ltr) safety cans with room to spare.



8946001



Storing hazardous materials? . . .

Identify and safely store acids, bases, oxidizers, or toxic materials — see pages 54-55 for a wide variety of cabinet sizes.



8946201



8931201



10 Year
Limited Warranty

Capacity Gallons/Liters	Number of Doors and Style	Dimensions H x W x D		Adjustable Shelves	Approv/Lstg Regulation	Model No	Ship Wt lb/kg
		Exterior	Interior				
30/114	2 door, manual-close	44 in x 43 in x 21.75 in	40.125 x 39.5 x 18.375 in	1	N,O,A	8931001	207/94
30/114	2 door, self-close	1118 x 1093 x 552 mm	1019 x 1003 x 467 mm	1	N,O,A,I	8931201	212/96
45/170	2 door, manual-close	65.25 x 43 x 21.75 in	61 x 39.5 x 18.375 in	2	N,O,A	8946001	284/129
45/170	2 door, self-close	1657 x 1093 x 552 mm	1549 x 1003 x 467 mm	2	N,O,A,I	8946201	287/130